



## LABORATORY REPORT

Prepared For: STL Los Angeles  
1721 S. Grand Avenue  
Santa Ana, CA 92705

Attention: Diane Suzuki  
Project: E2D160275

Sampled: 04/16/02  
Received: 04/16/02  
Reported: 04/25/02

*This laboratory report is confidential and is intended for the sole use of  
Del Mar Analytical and its client. This entire report was reviewed and approved for release.*

CA ELAP Certificate #1197  
AZ DHS License #AZ0428

**Del Mar Analytical, Irvine**  
Pat Abe  
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from Del Mar Analytical.*

**ILD0715 <Page 1 of 5>**



STL Los Angeles  
1721 S. Grand Avenue  
Santa Ana, CA 92705  
Attention: Diane Suzuki

Project ID: E2D160275

Report Number: ILD0715

Sampled: 04/16/02  
Received: 04/16/02

## CASE NARRATIVE

LABORATORY NUMBER	SAMPLE DESCRIPTION	SAMPLE MATRIX	ANALYSES
ILD0715-01	PTI-MW15-053	Water	EPA 7199
ILD0715-02	PTI-MW10-053	Water	EPA 7199
ILD0715-03	PTI-EB01-053	Water	EPA 7199
ILD0715-04	PTI-MW3-053	Water	EPA 7199

SAMPLE RECEIPT: Samples were received intact, at 6°C, and with chain of custody documentation.

HOLDING TIMES: Holding times were met.

PRESERVATION: Samples requiring preservation were verified prior to sample analysis.

QA/QC CRITERIA: All analyses met method criteria, except as noted in the report with data qualifiers.

OBSERVATIONS: No significant observations were made.

SUBCONTRACTED: No analyses were subcontracted to an outside laboratory.

### DEL MAR ANALYTICAL, IRVINE (CA ELAP #1197)

Del Mar Analytical, Irvine  
Pat Abe  
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from Del Mar Analytical.*



STL Los Angeles  
1721 S. Grand Avenue  
Santa Ana, CA 92705  
Attention: Diane Suzuki

Project ID: E2D160275

Report Number: ILD0715

Sampled: 04/16/02

Received: 04/16/02

## INORGANICS

Analyte	Method	Batch	Reporting Limit mg/l	Sample Result mg/l	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
<b>Sample ID: ILD0715-01 (PTI-MW15-053 - Water)</b>								
Chromium VI	EPA 7199	I2D1636	0.0020	ND	1	4/16/02	4/16/02	
<b>Sample ID: ILD0715-02 (PTI-MW10-053 - Water)</b>								
Chromium VI	EPA 7199	I2D1636	0.0020	ND	1	4/16/02	4/16/02	
<b>Sample ID: ILD0715-03 (PTI-EB01-053 - Water)</b>								
Chromium VI	EPA 7199	I2D1636	0.0020	ND	1	4/16/02	4/16/02	
<b>Sample ID: ILD0715-04 (PTI-MW3-053 - Water)</b>								
Chromium VI	EPA 7199	I2D1636	0.0020	ND	1	4/16/02	4/16/02	

Del Mar Analytical, Irvine  
Pat Abe  
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from Del Mar Analytical.*



STL Los Angeles  
1721 S. Grand Avenue  
Santa Ana, CA 92705  
Attention: Diane Suzuki

Project ID: E2D160275

Report Number: ILD0715

Sampled: 04/16/02

Received: 04/16/02

## METHOD BLANK/QC DATA

### INORGANICS

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC %REC	Limits RPD	RPD Limit	Data Qualifiers
<b>Batch: I2D1636 Extracted: 04/16/02</b>									
<b>Blank Analyzed: 04/16/02 (I2D1636-BLK1)</b>									
Chromium VI	ND	0.0020	mg/l						
<b>LCS Analyzed: 04/16/02 (I2D1636-BS1)</b>									
Chromium VI	0.0460	0.0020	mg/l	0.0500		92	90-110		
<b>Matrix Spike Analyzed: 04/16/02 (I2D1636-MS1)</b>									
Chromium VI	0.0453	0.0020	mg/l	0.0500	ND	87	80-115		
<b>Matrix Spike Dup Analyzed: 04/16/02 (I2D1636-MSD1)</b>									
Chromium VI	0.0457	0.0020	mg/l	0.0500	ND	88	80-115	1	15

Del Mar Analytical, Irvine  
Pat Abe  
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from Del Mar Analytical.*



STL Los Angeles  
1721 S. Grand Avenue  
Santa Ana, CA 92705  
Attention: Diane Suzuki

Project ID: E2D160275

Report Number: ILD0715

Sampled: 04/16/02  
Received: 04/16/02

## DATA QUALIFIERS AND DEFINITIONS

**ND** Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.  
**NR** Not reported.  
**RPD** Relative Percent Difference

**Del Mar Analytical, Irvine**  
Pat Abe  
Project Manager

*The results pertain only to the samples tested in the laboratory. This report shall not be reproduced,  
except in full, without written permission from Del Mar Analytical.*

**ILD0715 <Page 5 of 5>**